



EXHIBIT A

Please type a plus sign (+) inside this box → [+]

PTO/SB/05 (03-01)
Approved for use through 10/31/2002. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL		Attorney Docket No.	CM2388
(Only for new nonprovisional applications under 37 CFR 1.53(b))		First Inventor	Carl-Eric Kaiser
		Assignee	The Procter & Gamble Company
		Title	A Process And A Device For Deodorizing And/Or Fragrancing An Environment
		Express Mail Label No.	EK160952823US
APPLICATION ELEMENTS See MPEP Chapter 600 concerning utility patent application contents.		ADDRESS TO: Commissioner for Patents Box Patent Application Washington, D.C. 20231	
1. <input checked="" type="checkbox"/> Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original, and a duplicate for fee processing)		7. <input type="checkbox"/> CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix)	
2. <input type="checkbox"/> Applicant claims small entity status (see 37 CFR §1.27)		8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)	
3. <input checked="" type="checkbox"/> Specification Total Pages [13] (preferred arrangement set forth below)		a. <input type="checkbox"/> Computer Readable Form (CRF)	
- Descriptive Title of the Invention		b. Specification Sequence Listing on:	
- Cross References to Related Applications		i. <input type="checkbox"/> CD-ROM or CD-R (2 copies); or	
- Statement Regarding Fed sponsored R&D		ii. <input type="checkbox"/> Paper	
- Reference to sequence listing, a table, or a computer program listing appendix		c. <input type="checkbox"/> Statement verifying identity of above copies	
- Background of the Invention			
- Brief Summary of the Invention			
- Brief Description of the Drawings (if filed)			
- Detailed Description			
- Claim(s)			
- Abstract of the Disclosure			
4. <input checked="" type="checkbox"/> Drawing(s) (35 USC §113) Total Sheets [1]			
5. Oath or Declaration Total pages <input type="checkbox"/>			
a. <input type="checkbox"/> Newly executed (original or copy)			
b. <input type="checkbox"/> Copy from a prior application (37 CFR §1.63(d)) (for continuation/divisional with Box 18 complete)			
i. <input type="checkbox"/> DELETION OF INVENTORS Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR §§1.63(d)(2) and 1.33(b).			
6. <input type="checkbox"/> Application Data Sheet. See 37 CFR §1.76			
ACCOMPANYING APPLICATION PARTS			
		9. <input type="checkbox"/> Assignment Papers (cover sheet & document(s))	
		10. <input type="checkbox"/> 37 CFR 3.73(b) Statement <input type="checkbox"/> Power of Attorney (when there is an assignee)	
		11. <input type="checkbox"/> English Translation Document (if applicable)	
		12. <input type="checkbox"/> Information Disclosure <input type="checkbox"/> Copies of IDS Statement (IDS)/PTO-1449 Citations	
		13. <input type="checkbox"/> Preliminary Amendment	
		14. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized)	
		15. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed)	
		16. <input type="checkbox"/> Nonpublication Request under 35 U.S.C. 122(b)(2)(B)(i). Applicant must attach form PTO/SB/35 or its equivalent.	
		17. <input type="checkbox"/> Other:	
18. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information below and in a preliminary amendment, or in an Application Data Sheet under 37 CFR §1.76:			
<input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input type="checkbox"/> Continuation-in-part (CIP) of prior application No. <u>1</u>			
Prior application information: Examiner: _____ Group/Art Unit: _____			
For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 5b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.			
19. CORRESPONDENCE ADDRESS			
<input checked="" type="checkbox"/> Customer Number or Bar Code Label		(Insert Customer No. or Attach bar code label here 27752)	

Name (Print/Type)	Jeffrey V. Bamber	Registration No. (Attorney/Agent)	31,148
Signature		Date	July 11, 2001

⊕ Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you
are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED
FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.


Central
Docketing

7-11-01

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

**FEE TRANSMITTAL
for FY 2001**

Patent fees are subject to annual revision.

**Complete if Known**

Application Number	
Confirmation Number	
Filing Date	July 11, 2001
First Named Inventor	Carl-Eric Kaiser
Examiner Name	
Group/Art Unit	
Attorney Docket No.	CM2388

TOTAL AMOUNT OF PAYMENT \$1,110**METHOD OF PAYMENT (check one)**

1. ☒ The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:

Deposit Account Number 16-2480

Deposit Account Name The Procter & Gamble Company

- ☒ Charge Any Additional Fee Required Under status. See 37 CFR §127
37 C.F.R. §§1.16 and 1.17

FEE CALCULATION**1. BASIC FILING FEE - Large Entity**

Code (\$)	Fee Description	Fee Paid
101 710	Utility filing fee	[X]
106 320	Design filing fee	[]
107 490	Plant filing fee	[]
108 710	Reissue filing fee	[]
114 150	Provisional filing fee	[]

SUBTOTAL (1) \$710**2. EXTRA CLAIM FEES - Large Entity**

	Extra Claims	Below Fee	Fee Paid
Total Claims	[18] - 20** = []	x []	= []
Independent Claims	[8] - 3** = [5]	x [80]	= \$400
Multiple Dependent			[] = []

** or number previously paid, if greater; For Reissues, see below

Code (\$)	Fee Description
103 18	Claims in excess of 20
102 80	Independent claims in excess of 3
104 270	Multiple dependent claim, if not paid
109 80	**Reissue independent claims over original patent
110 18	**Reissue claims in excess of 20 & over original patent

SUBTOTAL (2) \$400**FEE CALCULATION (continued)****3. ADDITIONAL FEES**

Code (\$)	Fee Description	Fee Paid
105 130	Surcharge-late filing fee or oath	[]
127 50	Surcharge-late provisional filing fee or cover sheet	[]
139 130	Non-English specification	[]
147 2,520	For filing a request for <i>ex parte</i> reexamination	[]
112 920*	Requesting publication of SIR prior to Examiner's action	[]
113 1,840*	Requesting publication of SIR after Examiner's action	[]
115 110	Extension for reply within 1 st month	[]
116 390	Extension for reply within 2 nd month	[]
117 890	Extension for reply within 3 rd month	[]
118 1,390	Extension for reply within 4 th month	[]
128 1,890	Extension for reply within 5 th month	[]
119 310	Notice of Appeal	[]
120 310	Filing a brief in support of an appeal	[]
121 270	Request for oral hearing	[]
138 1,510	Petition to institute a public use proceeding	[]
140 110	Petition to revive - unavoidable	[]
141 1,240	Petition to revive - unintentional	[]
142 1,240	Utility issue fee (or reissue)	[]
143 440	Design issue fee	[]
144 600	Plant issue fee	[]
122 130	Petitions to the Commissioner	[]
123 50	Petitions related to provisional applications	[]
126 180	Submission of Information Disclosure Statement	[]
146 710	Filing a submission after final rejection (37 CFR § 1.129(a))	[]
149 710	For each additional invention to be examined (37 CFR § 1.129(b))	[]
179 710	Request for Continued Examination (RCE)	[]
169 710	Request for expedited examination of a design application	[]

Other fee (specify) _____ []
 Other fee (specify) _____ []

* Reduced by Basic Filing Fee Paid **SUBTOTAL(3) (\$)** []

SUBMITTED BY		Complete (if applicable)	
Name (Print/Type)	Jeffrey V. Bamber	Registration No. (Attorney/Agent)	31,148
Signature		Telephone	(513) 626-6645
		Date	July 11, 2001

WARNING: Information on this form may become public. Credit Card information should not be included on this form. Provide credit card information and authorization on PTO-2038.
 Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.

Summary of the Invention

In one embodiment, the invention is a process of deodorizing and/or fragancing an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub, where a deodorising and/or fragancing device is placed inside said environment, said device being a container (1) comprising a plurality of perfumed particles (2) emitting their perfume to the outside of the container, in said environment.

The invention also encompasses such device provided with usage instructions to use it in such a specific environment. The invention also encompasses perfumed particles provided with usage instructions to use them in such a device in such an environment.

In another embodiment, the invention encompasses such a device wherein said container (1) is rigid. In another embodiment, the container (1) comprises holes (3) of different sizes and which are all smaller than the smaller particle (2) contained in said container (1). In another embodiment, the perfumed particles (2) in the container (1) are not all of the same size. In another embodiment, the container (1) contains different particles (2) comprising different perfumes. In yet another embodiment, the container (1) comprises perfumed particles (2) which fill between 5 % and 95 % of the inner volume of said container, preferably 20% to 80%.

Description of the figures

Figure 1 is an outside perspective view of a closed container according to the present invention.

Figure 2 is an outside perspective view of the container of figure 1, in its opened configuration.

A container (1) is made of polyethylene, and has a length of 9 cm, a width of 5 cm, and a height of 2.5 cm. Holes (3) with a diameter of 0.15 cm are drilled

in the container. The container is openable and comprises to that effect a closure (4). The inside of the container is divided in two compartments (5,5') of equal divisions. Each compartment comprises a population of perfumed particles (2) (not shown in 5).

Detailed Description of the Invention

The device according to the invention is a deodorising and/or fragrancing device. By "deodorising and/or fragrancing", it is meant that the device emits a perfume which either fragrances an environment, or deodorises it by masking malodors. The device comprises a container which contains perfumed particles emitting their perfume to the outside of the container.

The Container:

The device according to and used in the present invention comprises a container. The container can be a flexible sachet, but it is preferably a substantially rigid container, made of plastic, such as polyethylene or polypropylene. Indeed, by using a substantially rigid container, it is ensured that the perfumed particles can move freely inside the container, e.g., because of the vibrations of the washing machine, or because of the water flow in a washing machine or in a shower, maximising the surface area of the particles which is available to release the perfume, thereby improving the duration and the linearity of the release of the perfume. Also, using plastic ensures that the container is useable in wet conditions, whereas traditional deodorising devices use cardboard or paper. Also, the use of plastic ensures that the device is not deteriorated when exposed to a wide range of temperatures which can be encountered in many environments where the device can be used, such as washing machines. A device using paper or cardboard would not resist such an exposure to warm temperatures.

The container must be so as to ensure that the perfume emitted by the particles can diffuse outside. The container can therefore be made of a material which is, as such, permeable to perfumes, for instance LDPE. However, in that embodiment perfume migration through the material may be slow and more difficult to control, so that in a preferred embodiment the container is made of

any plastic, and the container comprises holes which are all smaller than the smaller perfume particle contained. In an advantageous embodiment, the holes of the container are not all of the same size. Indeed, holes of different sizes may have different functions: smaller holes may have a predominant role in the release of perfume, while larger holes may be required for a quick enough drying of the device after it had been wet when used in a wet environment. Allowing the inside of the device to dry faster is desirable so as to maintain the efficiency of the device in releasing its perfume.

The container is closed in that it does not allow for particles to be released, but in a particularly advantageous execution, the container is openable and recloseable so that used particles can be disposed of and replaced by fresh particles.

The Perfumed Particles:

The particles to be put inside the container are perfumed particles which emit their perfume gradually over time. Particles suitable for use herein may be made of polymers, or clay, or porous rocks or stones such as pumice, silica or silicates.

However, particularly preferred for use herein are polymeric particles such as those which have been disclosed in WO9947182, GB1,589,201, US 3,505,432, US 4,247,498, US 4,156,067, and Scharfft, Modern Plastics Encyclopedia, Mc Graw-Hill Publishing Company, 1982-1983, pp 274-275, all of which are incorporated herein by reference, US 4,521,541, US 4,542,162, US 5,543,398, all incorporated herein by reference.

Simply stated, the process for making such particles involves mixing a molten plastic with the perfume, and allowing the mix to solidify in the appropriate shape.

Any perfume is suitable for use herein, and suitable perfumes for use herein have been disclosed in numerous references, for example in WO9947182 and US 5,540,853, incorporated herein by reference.

The fragrance material within the polymer preferably has a calculated logP in the range of from about 3 up to about 8, wherein P is the partition coefficient of the active or bioactive material between n-octanol and water.

The perfume ingredients are preferred to have a boiling point of 250°C. The logP of many perfume ingredients has been reported; for example, the Pomona92 database, available from Daylight Chemical Information Systems, Inc. (Daylight CIS), Irvine, California contains many, along with citations to the original literature. However, the logP values are most conveniently calculated by the "CLOGP" program, also available from Daylight CIS. This program also lists experimental logP values when they are available in the Pomona92 database. The "calculated logP11 (ClogP) is determined by the fragment approach of Hansch and Leo (cf., A. Leo, in Comprehensive Medicinal Chemistry, Volume 4, C. Hansch, P.G. Sammens, J.B. Taylor and C.A. Ramsden, editors, page 295, Pergamon Press, 1990, incorporated by reference herein). The fragment approach is based on the chemical structure of each perfume ingredient and takes into account the numbers and types of atoms, the atom connectivity and is the chemical bonding. The ClogP values, which are the most reliable and widely used estimates for this physiochemical property, are preferably used instead of the experimental logP values in the selection of perfume ingredients which are useful in the present invention.

Non-enduring perfume ingredients, which are preferably minimized in the present invention, are those having a B.P. of less than about 250°C or having a ClogP of less than about 3.0 or having both a B.P. of less than about 250°C and a ClogP of less than about 3.0. The table below gives some non-limiting examples of non-enduring perfume ingredients. The perfume compositions used in the present invention contain less than about 30 weight percent of non-enduring perfume ingredients, preferably less than about 25 weight percent of non-enduring perfume ingredients, more preferably, less than about 20 weight percent of non-enduring perfume ingredients, and even more preferably, less than about 15 weight percent of non-enduring perfume ingredients.

Examples of perfume materials which have a calculated ClogP > 3 are as set forth in the following table:

Examples of Enduring Perfume Ingredients Approximate Perfume Ingredients 1 B.P. (-C) (a) ClogP B.P. > 250°C and ClogP > 3.0 Allyl cyclohexane propionate 267 3.935 Ambrettolide 300 6.261 Amyl benzoate 262 3.417 Amyl cinnamate 310 3.771 Amyl cinnamic aldehyde 285 4.324 Amyl cinnamic aldehyde dimethyl 300 4.033 acetal iso-Amyl salicylate 277 4.601 Aurantiol 450 4.216 Benzophenone 306 3.120 Benzyl salicylate 300 4.383 para-tert-Butyl cyclohexyl acetate +250 4.019 iso-Butyl quinoline 252 4.193 O-Caryophyllene 2S6 6.333 Cadinene 275 7.346 Cedrol 291 4.530 Cedryl acetate 303 5.436 Cedryl formate +250 5.070 Cinnamyl cinnamate 370 5.48b, Cyclohexyl salicylate 304 5.265 Cyclamen aldehyde 270 3.680 Dihydro isojasmonate +300 3.009 Diphenyl methane 262 4.059 IDiphenyl oxide 252 4.240 Dodecalactone 258 4.359 ISO E SUPER + 250 3.45S Ethylene brassylate 332 4.554 Ethyl methyl phenyl glucidate 260 3.165 Ethyl undecylenate 264 4.888 Exaltolide 280 5.346 GALAXOLIDE +250 5.482 IGeranyl anthranilate 1312 14.216.

Examples of Enduring Perfume Ingredients Approximate Perfume Ingredients B.P. (OC) ClogP B.P. > 250°C and ClogP > 3.0 +250 5.233 Hexadecanolide 294 6.805 Hexenyl salicylate 271 4.716 Hexyl cinnamic aldehyde 305 5.473 Hexyl salicylate 290 5.260 a-Irone 250 3.820 Lilial (p-t-bucinal) 258 3.858 Linalyl benzoate 263 5.233 2-Methoxy naphthalene 274 3.235 Methyl dihydrojasmonate +300 4.843 y-n-Methyl ionone 252 4.309 Musk indanone +250 5.458 Musk ketone MP = 137°C 3.014 Musk tibetine MP = 136°C 3.831 Myristicin 276 3.200 oxahexadecanolide-10 +300 4.336.

Oxahexadecanolide-ii MP = 350°C 4.336 Patchouli alcohol 285 4.530 Phantolide 288 5.997 Phenyl ethyl benzoate 300 4.058 Phenyl ethyl phenyl acetate 325 3.767 Phenyl heptanol 261 3.478 Phenyl hexanol 258 3.299 cc-santalol 301 3.800 Thibetolide 280 6.246 8-Undecalactone 290 3.830 table-continued Examples of Enduring Perfume Ingredients Approximate Perfume Ingredients 1B.P. (OC) (a) ClogP B.P. > 250°C and ClogP > 3.0 y-Undecalactone 297 4.140 Vetiveryl acetate 285 4.882 Yara-yara 274 30235 Ylangene 250 6.268 (a) M.P. is melting point; these ingredients have a B.P. higher than 250°C.

In the preferred embodiment herein where the particles are made of plastic, it is ensured that water, whenever present, does not permeate the particles so that the perfume components present within the particles are

protected until they are released. Furthermore, the use of plastic ensures that the particles are not deteriorated when the device is exposed to warm temperatures. The device is thus useable across a wide range of temperatures.

The particles herein are preferably substantially spherical, as opposed to rods or square or rectangular blocks. Indeed, when spherical, the particles have increased mobility inside the device, so that fresh and clean surfaces of the particles are exposed over time. A contrario, with restricted mobility, the same surfaces of the particles would be exposed over time, and they would become soiled and potentially clogged. Furthermore, a spherical shape - combined with the fact that the particles are preferably made of plastic, therefore hydrophobic - ensures that water droplets, when present, run off the surface of the particles, contributing to a faster drying of the particles, hence a more efficient release of the perfume after exposure to wet conditions.

Perfume loading of the particles can vary within broad ranges, depending on the particular demands for a particular device. Indeed, in a compact device, the total amount of particles may tend to be on the low side and thus the perfume loading for each particle will tend to increase, so as to compensate for the fewer particles present. Conversely, in a large device, there may be more particles and the particles will tend to carry a lighter perfume load. Particles herein typically carry between 2%-25% by weight of perfume, and the total weight of the particles may represent from 20 grams to 75 grams.

Suitable perfumed particles for use herein are commercially available from International Flavors and Fragrances (IFF) under the trade-name Polyiff.

The population of particles in a given container can be substantially homogeneous in terms of their perfume content, but it can be attractive to have a heterogeneous population. Indeed, certain particles comprising certain perfumes can be manufactured as homogeneous populations, in batches, and then the different populations can be mixed together in an infinity of variations, offering an economically attractive flexibility in the choice of perfumes and functionality. Indeed, perfumes can be used which will additionally provide sanitisation and/or antibacterial benefits.

The population of particles in a given container can be substantially homogeneous in size, and that is desirable as compared to a heterogeneous population. Indeed, a homogeneous population in size ensures, for spherical particles, that there is a minimum contact surface between the particles, and surface damage and/or abrasion is reduced. Also, the risk of particles compaction is substantially reduced which would reduce the rate of perfume release, and which would impede free rotation of the particles, which in turn would impede a prolonged and gradual release of the perfume. The container may also be divided in several compartments which will each comprise a particular population of particles. The population of particles in a given compartment will preferably differ from the population in another compartment.

Preferably, the particles inside the container should fill between 5% and 95% of the inner volume of the container or each compartment, most preferably 20% to 80%. Indeed, inside those limits a best compromise is obtained between the amount of particles, which desirably should be as large as possible to increase the perfume loading of the device, and their ability to move in the container, so as to improve the duration and linearity of the release of the perfume, which at a certain point becomes hindered if too many particles are present.

The process:

In the process according to the present invention, a device as described herein above is placed in an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub, so as to deodorise and/or perfume that environment. Indeed, a particular advantage of the devices to be used herein is that they are effective in both wet and dry conditions, and across a wide range of temperatures, as described earlier.

Products with Usage Instructions:

In another embodiment of the present invention, the device described herein above is provided together with usage instructions to use it in a process described hereinabove, so as to make the best possible use of the device's

unique advantages. In that embodiment, a product is provided which comprises a deodorising and/or fragrancng device which is a container comprising a plurality of perfumed particles emitting their perfume to the outside of the container, and usage instructions to place said device inside an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub.

In another embodiment of the present invention, perfumed particles are provided separately from the container of the device as described hereinabove, as refills for said device. In that embodiment, a product is provided comprising perfumed particles emitting their perfume, and usage instructions to place said particles into a container which will enable said particles to emit their perfume outside said container, and to place said container inside an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub. The usage instructions may specify that the device has to be emptied of its used particles before fresh particles are provided.

CM 2388

What is claimed is :

1. A process of deodorizing and/or fragrancng an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub, wherein a deodorising and/or fragrancng device is placed inside said environment, said device being a container comprising a plurality of perfumed particles emitting their perfume to the outside of the container, in said environment.
2. A product comprising a deodorising and/or fragrancng device which is a container comprising a plurality of perfumed particles emitting their perfume to the outside of the container, and usage instructions to place said device inside an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub.
3. A product comprising perfumed particles emitting their perfume, and usage instructions to place said particles into a container which will enable said particles to emit their perfume outside said container, and to place said container inside an environment which is sometimes wet and sometimes dry, such as a bathroom, a shower stall, an automatic laundry or dish washing machine, a jacuzzi or a hot tub.
4. A product according to Claim 3 wherein said perfumed particles are polymeric particles.
5. A product according to Claim 3 wherein said particles are substantially spherical.
6. A product according to Claim 3 wherein said container is rigid.
7. A product according to Claim 3 wherein said container comprises holes which are all smaller than the smaller particle contained in the container.

8. A product according to Claim 3 wherein said container comprises holes of different sizes.
9. A product according to Claim 3 wherein said perfumed particles are all of substantially the same size.
10. A product according to Claim 3 wherein different perfumed particles comprise different perfumes.
11. A product according to Claim 3 wherein said container is openable and recloseable.
12. A product according to Claim 3 wherein said container comprises perfumed particles which fill between about 5% and about 95% of the inner volume of said container.
13. A device comprising a rigid container comprising perfumed particles emitting their perfume outside said container.
14. A device according to Claim 13 wherein said particles are substantially spherical.
15. A device comprising a container which comprises perfumed particles emitting their perfume outside said container, said container comprising holes of different sizes which are all smaller than the smaller particle contained in said container.
16. A device comprising a container which comprises perfumed particles emitting their perfume outside said container, and said particles are all of substantially the same size.
17. A device comprising a container which comprises perfumed particles emitting their perfume outside said container, and different said particles comprise different perfumes.

18. A device comprising a container which comprises perfumed particles emitting their perfume outside said container, wherein said particles fill between about 5% and about 95% of the inner volume of said container.

Abstract

The invention concerns a process and a device for the deodorizing, and/or fragrancng of an environment. In the invention, a device is placed in that environment, which is a container (1) comprising perfumed particles (2) which emit their perfume outside the container.

Figure 1




Figure 2

